




High-quality, architecturally pleasing, innovative access doors for walls, ceilings, ducts, floors and roofs



# VALVE BOXES - Recessed ARVB

## Application

- Provides easy access to all types of valves and controls that need to be concealed in the wall, but protected by a fully enclosed box

## Product Features

- The depth of the valve box can be modified to meet all the valve and control requirements
- When required, vision panels, louvers, engraved plates can be supplied, along with special holes for pipes or conduits

## ARVB Valve Box Specifications:

**Box Material:** Stainless Steel or Steel: 16 gage door, frame, box

**Box Door:** Flush to frame — rounded safety corners

**Box Frame:** One piece outer flange welded to box

**Box:** Fully enclosed, completely attached to frame. When required, box can be made with open back.

**Box Hinge:** Continuous, concealed

**Box Latch:** Cylinder lock & key, Also available: screwdriver operated cam latch, spanner head cam latch, flush paddle handle, thumb turn latch.

**Box Finish:** Stainless Steel: #4 satin polish. Steel: 5 stage iron phosphate preparation with prime coat of White alkyd baking enamel

**Finish:** #4 satin polish



## AVAILABLE SIZES (Special sizes available upon request)

NOMINAL DOOR SIZE W X H		WEIGHT PER DOOR		
inches	mm	Latches	lbs.	kg.
8 X 8 X 4	203 X 203 X 101	1	5	2.3
8 X 8 X 6	203 X 203 X 152	1	7	3.2
8 X 8 X 8	203 X 203 X 203	1	9	4.1
12 X 12 X 4	305 X 305 X 101	1	9	4.1
12 X 12 X 6	305 X 305 X 152	1	12	5.5
12 X 12 X 8	305 X 305 X 203	1	14	6.4

Wall opening is  $W + 3/8"$  (9 mm)

For detailed specifications see submittal sheet

